Baština Akademije nauka i umjetnosti Bosne i Hercegovine

Artificial Intelligence in Industry 4.0: The future that comes true: AI

Karabegović, Isak; editor

2024-09-17

https://bastina.anubih.ba/handle/123456789/791

Preuzeto s Baštine Akademije nauka i umjetnosti Bosne i Hercegovine

https://bastina.anubih.ba/

DOI: 10.5644/PI2024.215.04

Building AI-Supported Collaborative Awareness in Industrial Humanoids: Conceptual Framework and Methodological Approach

Aleksandar Rodić *[1]

Abstract: *With advancements in artificial intelligence, web-oriented applications, cloud technologies, computer-sensor networks, and wireless communications, there is significant potential for the rapid development of robotic systems designed for tasks in both mass and customized industrial production. Collaborative robots, a new type of intelligent robotic system, leverage AI and digital systems to work alongside humans, facilitating the execution of complex technological tasks with greater flexibility and adaptability to infrastructural changes and specific production requirements.This paper presents the conceptual framework and methodological approach for developing artificial consciousness in collaborative robotic systems intended for industrial production. Artificial consciousness enables robots to comprehend the physical and social context of the workplace more quickly and reliably in environments where there is technologically driven cooperation between biological systems (human workers) and technological systems (intelligent service robots). Enhanced perception and mutual understanding, improved predictability, intuitive communication between partners, and developed awareness (self-awareness, awareness of surroundings, and behavior control) are crucial features for collaborative systems in industry, whether it involves human-robot or robot-robot cooperation. This paper will detail the structure of a collaborative robotic system based on the application of AI, cloud architecture, and web-oriented applications.*

Keywords: *intelligent systems,industrial humanoids, collaborative robots, AI-driven robots, context-aware robots.*

1. Introduction

Collaborative work refers to the practice of individuals or groups working together towards a common goal or shared outcome. It emphasizes cooperation, mutual support, and collective effort among participants. The key aspects of a collaborative work can be pointed out as given in the text to follow: a) *Shared Goals* assumes that a collaborative work involves individuals or teams aligning their efforts towards achieving a common objective or solving a shared problem.b) *Mutual Accountability* means that participants in collaborative work

*[1]Mihajlo Pupin Institute, Univeristy of Belgrade
E-mail: aleksandar.rodic@pupin.rs

are accountable not only to themselves but also to each other. Each person's contribution is essential to the overall success.c) *Open Communication* assumes that effective collaboration requires open and transparent communication among team members. This includes sharing information, ideas, and feedback freely. d) *Division of Labor* means that tasks and responsibilities are often divided among team members based on their strengths, skills, and expertise. This division helps optimize efficiency and leverage individual strengths. e) *Interdependence* meansa collaborative work often involves interdependence among team members. Each person's work or contribution impacts and is influenced by the work of others. f) *Respect and Trust*means thatsuccessful collaboration is built on a foundation of respect for each other's contributions, skills, and perspectives. Trust among team members fosters a positive working environment.g) *Conflict Resolution*is due a collaboration involves different perspectives and approaches, effective teams develop mechanisms for resolving conflicts constructively. This ensures that disagreements do not hinder progress towards goals. h) *Shared Resources*assumes thatcollaborative teams often share resources such as tools, information, and expertise to maximize efficiency and effectiveness.

Collaborative work is essential in many contexts, including business, academia, healthcare, and community initiatives. It promotes innovation, problem-solving, and collective achievement by harnessing the strengths and expertise of multiple individuals towards a common purpose. In industrial manufacturing, collaborative work refers to the coordinated efforts of individuals, teams, and machines working together to manufacture products or deliver services efficiently and effectively. Here are several aspects that define collaborative work in industrial production: (i) *Cross-functional Teams:* Collaborative work often involves teams comprised of individuals with diverse skills and expertise (e.g., engineers, technicians, operators, quality assurance specialists). These teams work together to design, develop, and optimize production processes. (ii) *Integrated Workflows:* Collaboration in industrial production emphasizes seamless integration of workflows across different departments or stages of production. For example, design teams collaborate with manufacturing teams to ensure products are manufacturable and meet design specifications. (iii) *Shared Goals and Objectives:* Teams in industrial production share common goals such as meeting production targets, improving quality, reducing costs, or enhancing safety. These goals guide collaborative efforts and align the actions of team members. (iv) *Lean Manufacturing Principles:* Collaborative work often incorporates lean manufacturing principles, such as continuous improvement (kaizen), waste reduction, and just-in-time production. Cross-functional teams work together to identify inefficiencies and implement improvements. (v) *Use of Technology and Automation:* Collaborative work in modern industrial production leverages advanced technologies and automation. For instance, collaborative robots (cobots) work alongside human operators in

tasks such as assembly, welding, or packaging, enhancing productivity and flexibility.(vi)*Real-time Communication and Data Sharing:* Effective collaboration relies on real-time communication and data sharing among team members and across departments. Technologies like Industrial Internet of Things (IIoT) facilitate data collection and analysis, enabling informed decision-making and proactive problem-solving. (vii) *Quality Assurance and Continuous Monitoring:* Collaborative work includes processes for quality assurance and continuous monitoring of production outputs. Teams collaborate to identify defects, analyze root causes, and implement corrective actions to maintain product quality. (viii) *Safety and Ergonomics:* Collaboration in industrial production also focuses on ensuring workplace safety and ergonomic considerations. Teams work together to design workstations, tools, and processes that prioritize worker safety and comfort. (ix) *Training and Skill Development:* Collaborative work includes initiatives for training and skill development to ensure that team members have the necessary knowledge and competencies to perform their roles effectively. This may involve cross-training across different functions or roles within the production process.

A collaborative work in industrial manufacturing fosters a culture of teamwork, innovation, and continuous improvement. It emphasizes the importance of coordination, communication, and shared responsibility in achieving operational excellence and meeting customer demands efficiently.

1.1. Collaborative Robots

Collaborative robots, often referred to as cobots, are a specialized type of robot designed to work alongside humans in a shared workspace or environment. Unlike traditional industrial robots that typically operate separately from human workers behind safety barriers, cobots are intended to collaborate directly with humans without the need for extensive safety measures (though safety considerations are still crucial). The collaborative robots represent a shift towards more flexible, interactive, and human-friendly automation solutions in industrial and other settings. Their ability to enhance productivity, safety, and operational efficiency while supporting human workers makes them increasingly popular in modern manufacturing and beyond. The key characteristics of collaborative robots are: a) *Safety Features:*Cobots are equipped with advanced safety features to ensure safe interaction with human workers. This includes sensors (such as force, torque, and proximity sensors) that enable the robot to detect and respond to the presence of humans nearby, thereby reducing the risk of collisions and injuries. b) *Ease of Use:* Collaborative robots are designed to be user-friendly and easy to program. They often feature intuitive interfaces that allow non-experts to teach or program the robot for various tasks quickly. This flexibility enables rapid deployment and adaptation in dynamic production

environments. c) *Flexible and Adaptive:*Cobots are typically lightweight and mobile, making them easy to move and integrate into different areas of a production line or workspace. They can perform a wide range of tasks, from simple pick-and-place operations to more complex assembly or quality control tasks. d) *Interaction with Humans:* Unlike traditional robots that operate autonomously or in isolated environments, cobots are designed to interact physically and socially with human workers. They can hand tools or parts to humans, collaborate on assembly tasks, or assist in physically demanding or repetitive tasks. e) *Application Diversity:* Collaborative robots find applications across various industries, including manufacturing, healthcare, logistics, and agriculture. They are used in tasks such as assembly, packaging, inspection, material handling, and even in customer service roles. f) *Cost-Effectiveness:* While cobots initially may have higher acquisition costs compared to traditional robots, they can offer cost-effectiveness in terms of faster setup, reconfiguration, and the ability to work alongside existing human workforces without major infrastructure changes. g) *Adaptive Force and Power Limitations:*Cobots are designed with limited force and power capabilities to ensure safety. This means they are programmed to exert forces that are safe for humans, preventing accidental injuries in case of contact.

1.2. Key Topics

Researching intelligent aware collaborative robots with advanced artificial intelligence covers a wide range of different topics from technical to social. The most important topics can be pointed out as to follow: a) *Problems and opportunities of implementation artificial intelligence (AI) in Robotics*, theconcept of AI artificial intelligence (AI) in robotics and types of AI to be integrated into robotic controllers (e.g., machine learning, deep learning, fuzzy inference, etc.). b) *Integration of AI into collaborative robots*, how AI enhances the capabilities of collaborative robots and explore specific AI techniques to be used in cobot controllers (e.g., sensor fusion, decision-making algorithms, cloud-driven operation, etc.). c) *Application of AI-enhanced collaborative robots* finding out which industries and sectors benefiting from the AI-powered cobots (e.g., manufacturing, logistics, delivery, etc.) and also case studies or examples showcasing successful implementations.d) *Challanges and limitations* analysing ethical considerations of AI in collaborative robots (e.g., job displacement, safety concerns, protection of personal infromation, etc.) and technical challenges in integrating advanced AI into cobot controllers.e) *Future trends and innovations* like predictions for the future of AI in collaborative robotics and emerging technologies and research directions (e.g., human-robot interaction, explainable AI). f) *Comparison with traditional robots* analysing advantages and disadvantages of AI-enhanced cobots compared to traditional industrial robots

and economic implications and return on investment. g) *Regulatory and safety standards* including current regulations governing the use of collaborative robots and safety protocols and standards for AI-powered cobots.

2. State-Of-The-Art In Collaborative Robotics

The evolution from traditional industrial robots to intelligent, aware collaborative robots reflects significant advancements in AI, sensor technology, computing power, and connectivity.Researching intelligent, aware collaborative robots with advanced artificial intelligence encompasses a broad spectrum of topics. One key area of interest is their evolution from traditional industrial robots to the sophisticated collaborative robots we see today.Collaborative robots are not only transforming industrial production by improving flexibility, safety, and efficiency but are also paving the way for new forms of human-robot interaction and cooperation. As technology continues to evolve, we can expect collaborative robots to become even more capable and integrated into various aspects of manufacturing and beyond.

Traditional industrial robots have been a staple in manufacturing since the mid-20th century. These robots are designed to perform repetitive, precise tasks such as welding, painting, assembly, and material handling. Key characteristics of traditional industrial robots include: a) *High Precision and Speed:*These robots are optimized for accuracy and efficiency in performing repetitive tasks. b) *Fixed Automation:* They are typically programmed to follow a set sequence of operations in a controlled environment. c)*Isolation from Humans:* Traditional industrial robots are often placed in cages or behind safety barriers to prevent human workers from coming into contact with them. This is because these robots lack the ability to detect and respond to humans in their vicinity, posing safety risks.

Several technological advancements have paved the way for the development of collaborative robots: a) *Artificial Intelligence (AI):* AI algorithms have enabled robots to learn from their environment, make decisions, and adapt to new tasks. b) *Sensors and Machine Vision:* Advanced sensors and machine vision systems have given robots the ability to perceive their surroundings, detect objects, and recognize human presence. c) *Improved Computing Power:* Enhanced computing power has allowed for real-time data processing and complex decision-making. d) *Wireless Communication and IoT:* The integration of wireless communication and the Internet of Things (IoT) has enabled seamless connectivity between robots, machines, and human operators.

Emergence of Collaborative Robots, or cobots, represents a significant shift in the design and application of industrial robots. Key characteristics of collaborative robots include: a) *Human-Robot Interaction:* Cobots are designed to work alongside humans, without the need for safety barriers. They are

equipped with sensors and safety features to detect and respond to human presence, ensuring safe interaction. b) *Flexibility and Adaptability:* Unlike traditional robots, cobots can be easily reprogrammed and reconfigured for different tasks. This makes them ideal for small-batch production and tasks that require frequent changeovers. c) *Ease of Use:*Collaborative robots are designed to be user-friendly, with intuitive programming interfaces that allow even non-experts to set up and operate them. d) *Enhanced Safety Features:* Cobots are equipped with force and torque sensors that enable them to detect unexpected obstacles and stop operations to prevent accidents. This makes them inherently safer for working in close proximity to humans.

Intelligent, Aware Collaborative Robots is the latest generation of collaborative robots incorporates advanced AI and awareness capabilities, making them even more versatile and effective. These robots exhibit: a) *Artificial Consciousness:* Advanced AI enables robots to understand and interpret the physical and social context of their environment, improving their ability to cooperate with human workers. b) *Higher Degrees of Perception:* With improved sensory systems, these robots can gather and process detailed information about their surroundings, leading to better decision-making and task execution. c) *Intuitive Communication:* Intelligent cobots can engage in more natural and intuitive communication with human partners, using gestures, speech recognition, and other human-like interaction methods. d) *Predictive Capabilities:* AI allows these robots to predict human actions and adjust their behavior accordingly, enhancing collaboration and efficiency.

The evolution from traditional industrial robots to intelligent, aware collaborative robots reflects significant advancements in AI, sensor technology, computing power, and connectivity. Collaborative robots are not only transforming industrial production by improving flexibility, safety, and efficiency but are also paving the way for new forms of human-robot interaction and cooperation. As technology continues to evolve, we can expect collaborative robots to become even more capable and integrated into various aspects of manufacturing and beyond.

2.1. Examples of Collaborative Robots for Industry

There are several well-known examples of collaborative robots (cobots) that have made significant impacts across various industries. Here are some notable examples: (i) *Universal Robots (UR):* Universal Robots [1] is one of the pioneers in collaborative robotics. Their robots are known for their flexibility, ease of use, and safety features. UR cobots are widely used in industries such as automotive, electronics, and food processing for tasks like assembly, packaging, and machine tending. (ii) *ABB YuMi:* ABB's YuMi[2] (short for 'You and Me') is a dual-arm collaborative robot designed for small parts assembly. It features

precise motion control and advanced vision capabilities, allowing it to handle delicate tasks alongside human operators. YuMi is used in industries like electronics, consumer goods, and pharmaceuticals. (iii) *FANUC CR series:*FANUC offers a range of collaborative robots under their CR series [3]. These cobots are designed for applications such as assembly, inspection, and machine tending. FANUC's cobots are known for their reliability, speed, and integration capabilities with existing FANUC robotic systems. (iv) *KUKA LBR iiwa:*KUKA's LBR iiwa[4] (Intelligent Industrial Work Assistant) is a sensitive lightweight robot designed to work safely alongside humans without the need for safety fencing. It is used in industries such as automotive, aerospace, and medical technology for tasks requiring precision and sensitivity. (v) *Rethink Robotics Sawyer and Baxter:* Rethink Robotics, acquired by HAHN Group, developed the Sawyer and Baxter robots [5]. These cobots are known for their intuitive programming interface and adaptive capabilities. They are used in manufacturing environments for tasks like machine tending, quality inspection, and assembly. (vi) *Cobots from Techman Robot:*Techman Robot [6] (TM Robot) produces collaborative robots known for their user-friendly interface and integrated vision systems. Their cobots are used in industries such as electronics, plastics, and food processing for applications ranging from pick-and-place to complex assembly tasks. (vii) *Doosan Cobots:* Doosan Robotics offers a range of cobots designed for industrial automation tasks [7]. Their cobots are known for their safety features, accuracy, and ease of integration. They are used in sectors such as automotive, logistics, and metalworking. (viii) *Optimus cobot, 2nd Gen:*The second generation of Elon Musk's Optimus robot [8] represents a significant advancement in collaborative robotics, particularly in car manufacturing and industry. With its advanced AI, robust sensory systems, human-robot interaction capabilities, and integration with modern manufacturing systems, the Optimus robot is poised to enhance productivity, safety, and flexibility in the automotive industry. As these technologies continue to evolve, the role of collaborative robots like Optimus will become increasingly pivotal in driving innovation and efficiency in manufacturing.

The Optimus co-bot, developed by Tesla automotive industry, is an example of the increasing interest of industry for developing high-tech industrial service robots dedicated to specific applications in car manufacturing like: a) *Assembly Line Operations:*The robot can perform precise and repetitive tasks such as installing components, tightening bolts, and assembling parts, reducing the physical strain on human workers and increasing overall productivity. b) *Quality Control and Inspection:* With its advanced vision systems, the Optimus robot can conduct detailed inspections of car components and finished vehicles, identifying defects and ensuring high-quality standards are maintained. c) *Material Handling and Logistics:* The robot can handle and transport materials and components across the manufacturing floor, optimizing logistics and

reducing downtime. d) *Welding and Painting:*Equipped with specialized tools, the Optimus robot can perform welding and painting tasks with high precision and consistency, enhancing the quality and appearance of the final product. *e)Customization and Flexibility:*The robot's ability to quickly adapt to different tasks and configurations makes it ideal for handling customized production runs and accommodating changes in manufacturing processes.

These examples highlight the diversity of collaborative robots in terms of capabilities, applications, and industries served. Each of these cobots has unique features and strengths, but all share the common goal of enhancing productivity, flexibility, and safety in industrial environments by working in collaboration with human operators.

2.3. Where Use Cobots

Collaborative robots are utilized in a wide range of industrial tasks and technological processes across various sectors due to their ability to work safely alongside humans and perform diverse functions. Here are examples of industrial tasks and processes where cobots are commonly employed: (i) *Assembly and Disassembly:*Cobots are used in assembly lines to handle small parts assembly and disassembly tasks. They can work alongside human operators to improve efficiency and reduce repetitive strain injuries.Universal Robots' UR cobots are widely used for assembly tasks in industries such as automotive and electronics. (ii) *Pick and Place Operations:*Collaborative robots excel in pick and place operations where they pick items from one location and place them in another. This is common in logistics, warehousing, and assembly operations.Techman Robot's TM cobots are used for pick and place tasks in industries like e-commerce and consumer goods. (iii) *Machine Tending:*Cobots are employed in machine tending tasks where they load and unload parts from machines such as CNC machines, injection molding machines, and 3D printers.FANUC CR cobots are used for machine tending in automotive and aerospace manufacturing. (iv) *Quality Inspection:*Collaborative robots equipped with vision systems and sensors are used for quality inspection tasks. They can inspect parts for defects, measure dimensions, and perform quality control checks.ABB YuMi cobots are used for quality inspection in industries such as electronics and pharmaceuticals. (v) *Packaging and Palletizing:*Cobots are employed in packaging lines to handle packaging materials, pack products into boxes, and palletize finished goods. They improve efficiency and throughput in packaging operations.KUKA LBR iiwa cobots are used for packaging and palletizing tasks in food and beverage industries. (vi) *Material Handling and Logistics:*Collaborative robots play a crucial role in material handling tasks, including sorting, transporting, and organizing materials in warehouses and distribution centers.Sawyer and Baxter cobots from Rethink Robotics are used in

logistics for material handling and order fulfillment. (vii) *Testing and Inspection:*Cobots are used for testing and inspection of products and components, performing tasks such as non-destructive testing, surface inspection, and functional testing.Cobots from companies like Doosan Robotics are utilized in automotive and electronics industries for testing and inspection tasks. (viii) *Collaborative Welding and Cutting:*Advanced cobots with welding and cutting capabilities are used in metalworking industries for tasks such as welding, soldering, and cutting operations.Universal Robots' UR cobots are adapted with welding tools for collaborative welding tasks in automotive and manufacturing sectors.

Cobots are designed to work alongside humans in various industrial tasks. However, there are certain tasks and industries where their application may be limited or not feasible due to technical, safety, or efficiency reasons. These are for example:

*High-Speed Manufacturing***.** Tasks that require extremely high speeds, such as in some automotive assembly lines or high-speed packaging lines, may not be suitable for collaborative robots due to their typically slower operational speeds compared to traditional industrial robots.

High-Precision Assembly. Tasks that demand very high precision and accuracy beyond what current cobot technology can reliably achieve might not be suitable. This includes certain microelectronics assembly or intricate watchmaking processes.

*High-Load Handling***.** While cobots can handle a range of loads, tasks involving very heavy or bulky items that exceed their lifting capacities may require traditional industrial robots with higher payload capabilities.

*Extreme Environments***.** Industries dealing with extreme temperatures, hazardous chemicals, or other harsh environmental conditions may find it challenging to use standard cobots, which are often designed for typical factory environments.

*Specialized Manufacturing Processes***.** Some specialized manufacturing processes, such as those requiring unique tooling or highly customized operations that are not easily adaptable to cobot programming, may still rely on traditional automation solutions. But, with higher-level of AI and learning even these tasks can be accomplished.

*Complex Decision-Making***.**Tasks that require complex decision-making based on dynamic and unpredictable environments may be challenging for current cobots, which typically operate based on predefined algorithms and sensor inputs.

*Long-Term Continuous Operation***.** Cobots are generally designed for intermittent or short-duration tasks. Applications requiring long-term continuous operation without frequent human intervention may still favor traditional automation systems designed for sustained uptime.

While collaborative robots continue to evolve with advancements in AI, machine learning, and sensor technology, addressing some of these limitations, these are some of the current constraints in which their application may be less feasible compared to traditional industrial robots or other automation solutions.

3. Features of Collaborative Robots

Collaborative robots, to be effectively utilized in industry, need advanced physical/manipulative, cognitive and social traits to meet demanding technological requirements.

3.1. Physical and Manipulative Traits

Collaborative service robots in industry require specific physical and manipulative attributes (traits) to effectively perform tasks alongside human workers while ensuring safety, efficiency, and adaptability. Here are key attributes that collaborative service robots should possess: (i) safety features, (ii) mobility and navigation, (iii) manipulation and dexterity, (iv) interaction and communication,(v) Sensory Perception, (vi) Ease of Programming and Operation, (vii) Adaptability and Learning, and (viii) Reliability and Maintenance.

Safety features assumes: a) Collision detection and avoidance: Robots should have sensors to detect the presence of humans and other objects in their vicinity. They should be able to slow down or stop to prevent collisions. b) Soft and rounded design: Physical attributes such as soft exteriors and rounded edges minimize the risk of injury in case of accidental contact with humans.

Mobility and navigation assumes: a) Omni-directional Movement: Robots should be capable of moving in multiple directions (e.g., forwards, backwards, sideways) to navigate complex environments. b) Obstacle Avoidance: Advanced navigation systems and sensors allow robots to navigate around obstacles autonomously.

Manipulation and Dexterity assumes: a) End effector variety: Robots should have interchangeable end effectors (tools or grippers) suitable for different tasks, such as handling objects of various shapes and sizes. b) Precision and Accuracy: High precision in movement and manipulation enables robots to perform delicate tasks with accuracy, such as assembly, inspection, and placing objects.

Interaction and Communication assumes: a) Speech recognition and synthesis: Robots should be able to understand and respond to voice commands from human operators or interact verbally in natural language. b) Gesture recognition: Capabilities to interpret human gestures and respond appropriately enhance collaboration and ease of communication.

Sensory Perception assumes: a) Vision systems: Advanced cameras and vision systems enable robots to perceive their environment, identify objects, and

navigate autonomously.b) Tactile sensors: Sensors that provide feedback on contact forces enable robots to handle fragile objects delicately and safely.

Ease of Programming and Operation assumes: a) Intuitive Programming Interfaces: User-friendly interfaces for programming and controlling robots enable non-experts to teach or reconfigure robots quickly. b) Remote Monitoring and Control: Capability for remote monitoring and control allows supervisors to oversee robot operations and intervene if necessary.

Adaptability and Learning assumes: a) Machine Learning and AI: Robots should have the ability toblearn from experience, adapt to changing tasks or environments, and continuously improve their performance. b) Task Flexibility: Capability to perform a wide range of tasks and adapt to new tasks or workflows as needed in dynamic industrial settings.

Reliability and Maintenance assumes: a) Durability: Robust construction and components ensure reliability in industrial environments with frequent use. B) Predictive Maintenance: Systems for monitoring robot health and predicting maintenance needs reduce downtime and optimize operational efficiency.

These attributes collectively enable collaborative service robots to work effectively alongside human workers in industries such as manufacturing, logistics, healthcare, and hospitality. By possessing these traits, collaborative robots contribute to increased productivity, improved safety, and enhanced operational flexibility in diverse industrial applications.

3.2. Cognitive and Social Traits

Cobotsto be implemented in industry should possess cognitive and social traits that enable effective interaction and cooperation with human workers. These traits are crucial for fostering a collaborative and productive work environment. Here are key cognitive and social traits that collaborative robots should have.

Cognitive traits assumes that robot posesses or is able practicaly to demnostrate: (i) context awareness, (ii) task understanding, (iii) learning and adaptation, (iv) decision-making, and (v) problem-solving.

Context Awareness. Cobots should understand their operational context, including their surroundings, tasks being performed, and the presence of human operators. This awareness helps them adapt their behavior accordingly.

Task Understanding. Ability to comprehend task instructions and objectives given by human supervisors or through programming. This includes understanding task sequences, priorities, and dependencies.

Learning and Adaptation. Capability to learn from interactions and experiences in the workplace. Machine learning algorithms allow cobots to improve their performance over time, adjust to changes in tasks or environments, and optimize their behavior.

Decision-Making. Cobots should possess decision-making capabilities to autonomously select actions and responses based on sensory inputs, task requirements, and predefined rules or algorithms. This includes making decisions to ensure safety, efficiency, and task completion.

Problem-Solving. Ability to identify and respond to unexpected situations or challenges that may arise during task execution. Cobots should be equipped with algorithms or logic to troubleshoot issues and seek assistance if needed.

Social traits assumes that robot posesses or is able to present: (i) communication skills, (ii) collaboration and teamwork, (iii) social intelligence, (iv) adaptability to human preferences, (v) respect for safety and boundaries, (vi) transparency and explainability, (vii) empathy and assistance.

*Communication Skills.*Effective communication with human operators through verbal cues, visual signals, or digital displays. This includes conveying status updates, requesting assistance, or providing feedback on task progress.

Collaboration and Teamwork. Ability to collaborate seamlessly with human workers as part of a team. Cobots should understand their role within the team, coordinate actions with other robots or humans, and adapt to collaborative workflows.

Social Intelligence. Cobots should demonstrate social intelligence by interpreting human emotions, intentions, and non-verbal cues (e.g., gestures, facial expressions). This enhances their ability to engage with humans in a socially acceptable manner.

Adaptability to Human Preferences. Cobots should be able to adapt their behavior and interaction style based on individual human preferences or cultural norms. This fosters a more personalized and comfortable working relationship.

Respect for Safety and Boundaries. Cobots should prioritize safety by respecting human safety zones, following established safety protocols, and adjusting their speed or behavior to avoid collisions or accidents.

Transparency and Explainability. When making decisions or taking actions, cobots should provide transparency by explaining their reasoning or rationale to human operators. This enhances trust and facilitates effective collaboration.

Empathy and Assistance. While not necessarily emotional empathy, cobots should demonstrate a form of practical empathy by anticipating human needs, offering assistance when appropriate, and adjusting their behavior to support human operators.

These cognitive and social traits are essential for collaborative robots to integrate seamlessly into industrial environments and work effectively alongside human counterparts. By embodying these traits, cobots contribute to improved productivity, safety, and overall operational efficiency in diverse industrial applications.

3.3. Cobots and Personality Traits

Collaborative robots intended for industrial applications typically do not need personality traits or affective behaviors in the same way humans do. Whether such features are necessary and their importance for collaborative robots in industry are discussed in the text to follow.

Personality traits with industrial collaborative robots are not of primary interst while they are crucial for other types of human-centric robots like for example social robots (elederly care, nurary, etc.).

Utility vs. Personality.Primary focus is on utility. Industrial collaborative robots are primarily designed for functional purposes, such as performing tasks efficiently, safely, and reliably. Personality traits, which are more characteristic of human interaction, are not essential for their core functionality.

Consistency and Predictability. Primary focus is on consistent behavior. Robots in industrial settings benefit from consistent and predictable behavior. This ensures that they perform tasks reliably and can be easily integrated into existing workflows without introducing variability that might hinder operational efficiency.

Task-Oriented Interaction. Primary focus is on task efficiency. Cobots are programmed to optimize task performance and operational outcomes. Personality traits that deviate from this task-oriented focus could potentially distract from their primary purpose or introduce unnecessary complexity.

Affective behavior of collaborative roboty may have an influence on their capabilities.

Safety and Interaction. While affective behavior like displaying emotions or responses might enhance human-robot interaction in some contexts, in industrial settings, clear communication and predictable responses are more critical for ensuring safety and efficiency.

Perception of Machines. Humans tend to anthropomorphize machines to some extent, but in industrial settings, clear distinctions between human and robotic roles help maintain operational clarity and safety protocols.

When consider the importance of personality traits and affective behaviour of collaborative robots the folowing items should be taken into account: a) efficiency and productivity, b) user experience and acceptance, and c) ethical considerations.

Efficiency and Productivity. The primary focus of collaborative robots in industry is on enhancing efficiency, productivity, and safety. Features like personality traits and affective behavior, while potentially interesting from a human interaction standpoint, do not significantly contribute to these primary goals.

Clear Communication. Effective communication, clear task execution, and reliable performance are crucial for user acceptance and integration of

cobots into industrial workflows. Predictable behavior and task-focused interaction facilitate smoother collaboration with human workers.

Ethical Alignment. In contexts where robots are closely integrated with human workers, ethical considerations arise regarding how robots are perceived and how their behavior affects human psychology and work dynamics. Clarity and transparency in robot behavior can help mitigate potential ethical concerns.

While personality traits and affective behaviors are not necessary for collaborative robots in industrial applications, maintaining clear, predictable, and task-focused interaction is paramount. These features ensure that cobots effectively fulfill their intended roles, enhance operational efficiency, and support safe collaboration with human counterparts in industrial environments.

4. Building Context Aware Humanoid

Building of intelligent, aware industrial humanoid,sevice robot for accomplishing different collaborativetasks in manufacturing, is part of a long-term R&D project conducted in the Mihajlo Pupin Institute. In the first phase of development, the mechanical prototype of the robot was developed [9]. In the current phase of development, the intelligent robot controller is designed and the appropriate methodology of building is defined.

The 21 degrees of freedom (DOFs) bi-manuel robot mechanism for customized manufacturing consists of several functional modules (Figs. 1 and 2): (i) 3 DOFs motorized cart, (ii) 4 DOFs robot torso, (iii) 2 DOFs robot head (pan-tilt camera), (iv) two robot arms of 6 DOFs every, and (iv) two single DOF robot grippers (two-finger or optionaly three-finger). The mechanical structure of the robot's torso was designed so that the robot can change its geometry from a fully extended position (Fig. 1, right) to a fully bent position (Fig. 1, left).

Control of the bi-manual collaborative robot (Fig. 2) is a complex task because the system consists of several mechanical subsystems (modules) that are kinematic and dynamically coupled to each other. The robot prortype is fully equpeed by heterogeneous sensors measuring position, speed and forces/torques in the system. Robot also possesses neccessary communication facility to connect to the network (Internet, Cloud). The hardware architecture of the control system has a distributed hierarchical structure. It is subordinated to the higher levels of control as shown in the block diagram presented in Fig. 3 as presented in [10].



Figure 1. Wheel-based bi-manual collaborative industrial humanoid developed in Mihajlo Pupin Institute – Belgrade: contracted (left) and extended (right), [9]

Figure 2. Laboratory prototype of the 21 DOFs bi-manual collaborative industrial humanoid developed in Mihajlo Pupin Institute – Belgrade [9]



Figure 3. High-level system description of the cloud-enabled intelligent control of the mobile bi-manual service robot with variable geometry [10]

The hardware architecture, presented in Fig. 3, supports building of an intelligent, robot-aware controller. The conceptual framework and methodological insights are presented in the following paragraps.The concept of building intelligent cobot controller is based on implementation of advance AI algorithms, cloud-driven robot behavior, web-oriented aplications, use of digital twins, etc.

4.1. Artificial Intelligence and Cobots

Artificial intelligence (AI) plays a crucial role in enhancing the capabilities and effectiveness of collaborative robots (cobots) in industry [11]-[17]. The AI contribute cobots by enabling advanced features such as better: (i) *Adaptability and Flexibility*: AI enables cobots to adapt to changing environments and tasks. Machine learning algorithms allow cobots to learn from experience and adjust their behavior accordingly. This adaptability is essential in dynamic manufacturing environments where tasks may vary. (ii) *Autonomous Decision-Making*: AI-powered cobots can make autonomous decisions based on real-time data and sensory inputs. They can analyze information from sensors and adjust their actions to optimize performance, improve efficiency, and ensure safety. (iii) *Enhanced Sensory Perception*: AI enables cobots to have advanced sensory perception capabilities. This includes computer vision for object recognition, depth sensing for precise manipulation, and tactile sensing for handling delicate objects—all of which are critical for safe collaboration with humans.(iv)

Predictive Maintenance: AI algorithms can analyze data collected from cobots to predict maintenance needs and prevent breakdowns. This proactive approach reduces downtime and improves overall equipment effectiveness (OEE). (v) *Collaboration with Humans*: AI facilitates natural and intuitive human-robot collaboration. Cobots can interpret human gestures, understand commands, and adjust their behavior to work effectively alongside human operators without compromising safety.(vi) *Continuous Improvement*: AI enables continuous learning and improvement in cobots' performance over time. Through data analytics and feedback loops, cobots can identify inefficiencies, refine processes, and optimize workflows for greater productivity. (vii) *Complex Task Execution*: AI allows cobots to handle more complex tasks that require sophisticated decision-making and problem-solving abilities. This includes tasks such as adaptive welding, autonomous navigation in crowded environments, and collaborative problem-solving in assembly processes. (viii) *Integration with IoT and Industry 4.0*: AI-driven cobots play a key role in the integration of Industrial Internet of Things (IIoT) and Industry 4.0 initiatives. They contribute to the digital transformation of manufacturing by enabling data-driven decision-making and connectivity across the production ecosystem.

Artificial intelligence is essential to maximizing the potential of collaborative robots in industry. It enables cobots to be smarter, more adaptive, safer, and more productive collaborators with human workers. As AI technologies continue to evolve, they will further enhance the capabilities of cobots, making them indispensable tools for modern manufacturing and beyond.

Bearing in mind the importance of AI in developing intelligent robots for industry, the OpenAI'sChatGPTis considered as a tool that has a great potential to support development of new cobot capabilities. Cobots are able to potentially connect online to the ChatGPT to ask for advice or interpretation about phenomena in its physical or social environment[18]-[24]. How this could be achieved and the potential effects on collaborative activities between robots and humans are elaborated in the following paragraph.

Hardware requirements

*Computing Power.*The robot would need sufficient onboard computing power to process natural language and interact with the AI model in real-time. This typically involves a capable processor and memory to handle AI inference tasks.

*Internet Connectivity.*Stable and high-speed internet connectivity is essential for the robot to communicate with the AI model in the cloud or a remote server where the AI is hosted.

*Sensors and Perception Systems.*To provide context for its queries, the robot may use various sensors such as cameras, microphones, environmental sensors,

and perhaps even specialized sensors for social interaction cues (e.g., facial recognition).

Protocols (Procedures)

*API Integration.*The robot would interact with the AI model through an API (Application Programming Interface). The API allows the robot to send queries and receive responses from the AI model. Protocols such as HTTP or WebSocket can be used for communication between the robot's software and the AI server.

*Natural Language Processing (NLP).*The robot's software needs to include NLP capabilities to formulate queries in natural language and understand responses from the AI model. This involves parsing text, understanding context, and extracting relevant information.

*Error Handling and Recovery.*Implementing error handling mechanisms is crucial to manage scenarios where the connection is disrupted or the AI model returns unexpected responses. This ensures robustness in the interaction between the robot and the AI.

Effects on Collaborative Activities

*Enhanced Problem-Solving and Decision-Making.*By tapping into AI models like ChatGPT, robots can access a vast repository of knowledge and expertise. This can aid in solving complex problems or interpreting ambiguous situations in the physical or social environment.

*Improved Human-Robot Collaboration.*Robots equipped with AI-driven advice capabilities can collaborate more effectively with human counterparts. They can seek guidance on tasks, clarify instructions, or even mediate in social interactions by interpreting human intentions or emotional states.

*Adaptability and Learning.*Continuous interaction with AI models allows robots to learn from previous interactions and improve their own decision-making processes over time. This adaptive learning capability enhances their ability to perform diverse tasks in dynamic environments.

*Efficiency and Productivity.*Quick access to information and advice from AI models can streamline workflows and reduce the time required for decision-making. This efficiency contributes to overall productivity in collaborative activities involving robots and humans.

*Ethical and Social Considerations***.** Integrating AI advice capabilities should consider ethical guidelines, such as privacy protection, data security, and transparency in decision-making processes. Clear communication of the robot's reliance on AI advice ensures trust and collaboration with human partners.

Connecting collaborative robots to the OpenAI'sChatGPTmodels, looking for a quick advice or interpretation, can significantly enhance their capabilities in understanding and responding to the physical and social

environment. With appropriate hardware, protocols, and integration of AI capabilities, collaborative robots can contribute more effectively to collaborative activities, improving efficiency, decision-making, and human-robot interaction quality in various industrial and social settings.

4.2. Cloud-driven Cobot Capacities

Integrating cloud architecture with industrial collaborative robots can enhance their operational capacities in several dimensions [25]-[30]. There is an analysis of how cloud architecture could potentially address the current limitations of modern robots.

Memory and Processing Power

Scalability. Cloud architecture provides virtually unlimited storage and computational resources. Robots can offload intensive tasks such as complex computations, large-scale data processing, or advanced AI algorithms to the cloud. This allows them to overcome physical limitations of onboard memory and processing power.

Speed. Cloud computing offers high-speed parallel processing capabilities, enabling robots to handle real-time data analysis and decision-making more efficiently than relying solely on onboard processors.

Data Accessibility and Collaboration

Data Storage. Robots can store and access vast amounts of data in the cloud, including historical performance data, machine learning models, and environment maps. This enables them to continuously improve their performance and adapt to changing conditions.

Collaboration. Cloud-connected robots can easily share information with each other and with human operators in real-time. This facilitates collaborative tasks where multiple robots coordinate their actions based on shared data and goals.

Software Updates and Maintenance

Remote Updates. Cloud architecture allows for centralized management of software updates and patches. This ensures that robots always have access to the latest algorithms, security enhancements, and bug fixes without needing physical intervention.

Monitoring and Diagnostics. Continuous monitoring of robot performance and diagnostics can be conducted remotely through the cloud. This proactive approach to maintenance reduces downtime and improves overall reliability.

AI and Machine Learning Capabilities

Training and Deployment. Cloud-based AI platforms enable robots to leverage advanced machine learning models and algorithms that require extensive training data and computational resources. This includes natural language processing, image recognition, and predictive analytics.

Adaptability. Robots can adapt their behavior and decision-making based on real-time insights from cloud-based AI systems, enhancing their ability to handle complex and dynamic environments.

Security and Privacy Considerations

Data Security. Cloud providers typically offer robust security measures, including encryption, access controls, and regular audits, which can be leveraged to protect sensitive data transmitted and stored by robots.

Privacy. Efforts must be made to ensure that sensitive data, such as proprietary information or personal data, is handled securely and in compliance with relevant regulations.

By integrating cloud architecture with industrial collaborative robots can significantly enhance their operational capacities by providing scalable memory and processing power, facilitating data accessibility and collaboration, streamlining software updates and maintenance, empowering advanced AI capabilities, and addressing security and privacy concerns effectively. This approach not only expands the technical capabilities of robots but also supports their integration into increasingly complex and interconnected industrial environments.

4.3. Web-oriented Cobot Applications

Enabling a collaborative robot to connect to web browsers for quick access to various databases and information can significantly enhance its performance and capabilities in several key areas [31]-[37].

Context Awareness

Real-Time Information Retrieval. By accessing web databases and information sources, the robot can gather up-to-date contextual information relevant to its tasks. This includes environmental conditions, operational status of machinery, inventory levels, and any dynamic changes in the workspace.

Adaptive Decision-Making. With access to current data, the robot can make more informed decisions in real-time, adapting its actions based on the latest information available. This improves efficiency and responsiveness in collaborative tasks.

Social (Collaborative) Awareness

Human-Robot Collaboration. Access to web-based resources can enhance the robot's ability to understand and adapt to human behaviors and intentions. For instance, it can retrieve information about human preferences, work habits, and task priorities, thereby improving its collaboration with human partners.

Communication Enhancement. Web connectivity enables the robot to communicate effectively with humans by retrieving contextual information that facilitates clearer and more contextually relevant interactions.

Awareness of Human Health and Affective State

Health Monitoring. By connecting to health databases or wearable devices, the robot can monitor human health indicators such as heart rate, body temperature, and stress levels. This information can be crucial for adjusting its interactions and workload to ensure human well-being and productivity.

Affective Computing. Accessing affective computing databases or sentiment analysis tools allows the robot to recognize and respond to human emotions more accurately. This capability supports empathetic interactions and improves overall user satisfaction and comfort.

Business Partner Integration

Access to Business Data. Connecting to web browsers allows the robot to retrieve business-related data such as inventory levels, production schedules, customer orders, and market trends. This information helps the robot optimize its tasks and contribute more effectively to business operations.

Integration with Enterprise Systems. The robot can integrate with enterprise resource planning (ERP) systems or customer relationship management (CRM) platforms through web connectivity, enabling seamless data exchange and enhancing overall operational efficiency.

Security and Privacy Considerations

Secure Access. Ensure that web connections are secure, utilizing encryption and authentication protocols to protect sensitive data and prevent unauthorized access.

Data Privacy. Respect privacy regulations and guidelines when accessing personal or sensitive information, ensuring that data handling practices comply with legal requirements and ethical standards.

By leveraging web connectivity for accessing databases and information, collaborative robots can achieve greater context awareness, enhance human-robot collaboration, monitor human health and affective states, integrate with business processes, and ultimately improve their overall performance and utility in industrial and collaborative settings. This approach contributes to more

adaptive, efficient, and user-friendly robotic systems in diverse operational environments.

Achieving real-time or semi real-time decision-making supported by web-search tools for collaborative robots is nowadays feasible with the right approach and infrastructure. In order to achieve high-performance decision-making in this context it is required the following:

Fast and Reliable Internet Connectivity

Bandwidth. A robust internet connection with sufficient bandwidth is crucial for rapid data retrieval and communication between the robot and web-based resources.

Latency. Minimizing latency (delay in data transmission) ensures that the robot can access information quickly, which is essential for real-time decision-making.

Efficient Data Processing and Integration

*Data Processing Speed***.** The robot's onboard processing capabilities should be optimized for rapid data parsing, analysis, and integration with real-time information retrieved from web-search tools.

Integration Framework. Implementing an efficient integration framework that allows seamless communication between the robot's software systems and external web APIs (Application Programming Interfaces) is essential. This framework should handle data formats, protocols, and security considerations effectively.

AI and Machine Learning Algorithms

Fast Algorithms. Utilize algorithms that are optimized for speed and efficiency in processing and making decisions based on dynamic and large datasets obtained from web sources.

Adaptive Learning. Incorporate machine learning techniques that can adapt to new information and refine decision-making processes over time based on feedback and changing environmental conditions.

Real-Time Data Analytics

Streaming Analytics. Implement real-time data analytics capabilities that can process incoming data streams from web-search tools immediately and derive actionable insights without significant delay.

Predictive Analytics. Use predictive models to anticipate future trends or events based on historical data and current information retrieved from web sources.

User Interface and Interaction Design

Intuitive Interface. Design a user interface that allows human operators to easily interact with the robot and understand the decision-making process facilitated by web-search tools.

Visualization. Use data visualization techniques to present complex information in a clear and actionable format, aiding both human operators and the robot itself in making informed decisions.

Security and Reliability

Secure Communication. Implement robust security measures to protect data exchanged between the robot and web-search tools, ensuring confidentiality, integrity, and availability.

Redundancy and Failover. Have contingency plans in place, such as redundant internet connections or fallback mechanisms, to maintain operation in case of network disruptions or failures.

Achieving high-performance decision-making supported by web-search tools involves a combination of advanced technology infrastructure, efficient data handling capabilities, optimized algorithms, and secure communication protocols. With these elements in place, collaborative robots can effectively leverage external web resources to enhance their real-time or semi real-time operational capabilities in dynamic industrial environments.

4.4. Cobots and Digital Twins

Digital twins refer to virtual representations or digital models of physical objects, processes, or systems. They are essentially digital counterparts that mimic real-world entities and can simulate their behavior, characteristics, and interactions in a virtual environment [38]-[44]. Here are key aspects and applications of digital twins:

Key Characteristics

Virtual Representation. Digital twins are virtual or digital replicas of physical entities, such as machines, products, systems, or processes.

Real-time Data Integration. They integrate real-time data from sensors, IoT devices, and other sources to simulate and mirror the real-world counterpart's behavior and performance.

Simulation and Predictive Capabilities. Digital twins can simulate various scenarios and predict outcomes based on historical data and predictive analytics.

Feedback Loop. They enable a continuous feedback loop where data collected from the physical entity updates the digital twin, and insights gained from the twin can inform decisions about the physical entity.

Lifecycle Management. Digital twins can represent the entire lifecycle of a product, process, or system—from design and development to operation, maintenance, and eventual disposal.

Applications in Manufacturing and Industrial Processes

Predictive Maintenance. Digital twins of machines predict maintenance needs and optimize schedules to reduce downtime.

*Process Optimization***.** Simulate manufacturing processes to optimize efficiency, quality, and resource usage.

Product Development

*Design Verification***.** Use digital twins to test and validate product designs virtually before physical prototyping.

*Performance Monitoring***.**Monitor product performance and behavior in real-world conditions to improve design iterations.

Digital twins are powerful tools that bridge the physical and digital worlds, offering numerous benefits across industries by enhancing understanding, decision-making, and operational efficiency based on real-time data and simulations.Digital twins can significantly enhance the properties and capabilities of collaborative industrial robots by providing simulation, monitoring, and optimization capabilities throughout their lifecycle. Digital twins can be used to improve various aspects of collaborative robots.

Virtual Prototyping

*Purpose***.** Create digital twins of robot designs to simulate and validate mechanical structures, kinematics, and ergonomics before physical prototyping.

*Benefits***.** Reduces design iterations, accelerates development timelines, and ensures that robots are optimized for performance, safety, and human-robot interaction.

Performance Optimization

*Simulation of Tasks***.** Use digital twins to simulate robot tasks in virtual environments, such as assembly, welding, or handling operations.

Optimization of Motion Planning. Evaluate and optimize motion trajectories, speed profiles, and path planning algorithms to maximize efficiency and minimize cycle times.

Real-Time Monitoring and Control

*Sensor Integration***.** Connect physical robots to their digital twins, integrating real-time data from sensors (e.g., position, force, temperature).

*Condition Monitoring.*Monitor robot performance metrics (e.g., speed, accuracy) and health indicators (e.g., motor vibrations, temperature) to detect anomalies and predict maintenance needs.

Predictive Maintenance

Failure Prediction. Analyze data collected from digital twins to predict potential failures or maintenance issues before they occur.

Optimized Maintenance Scheduling. Optimize maintenance schedules based on actual usage patterns and predicted wear and tear, minimizing unplanned downtime.

Task Optimization and Adaptability

Dynamic Task Allocation. Use digital twins to dynamically allocate tasks among robots based on workload, skillsets, and environmental conditions.

Adaptive Behavior. Adjust robot behavior and responses in real-time to optimize collaboration with human workers and other robots in shared workspaces.

Training and Simulation:

Skill Development. Provide virtual training environments using digital twins to simulate complex tasks and scenarios for robot operators.

*Scenario Testing.*Test new operational procedures or task sequences in a risk-free virtual environment before implementation in the real-world.

Data-Driven Insights

Performance Analysis. Analyze historical data from digital twins to identify trends, performance bottlenecks, and opportunities for optimization.

Iterative Refinement. Use insights gained to iteratively improve robot design, operation strategies, and human-robot collaboration protocols.

Integration with Industry 4.0 Initiatives

Digital Thread. Integrate digital twins into broader Industry 4.0 frameworks to create a digital thread across design, manufacturing, and operational phases.

Smart Factory Integration. Enable seamless integration with other smart factory technologies and systems for enhanced automation, data exchange, and decision-making.

Case Example

In an automotive manufacturing setting, digital twins of collaborative robots are used to simulate assembly tasks. The digital twin allows engineers to optimize robot placement, refine assembly sequences, and validate the robot's

ability to work alongside human workers safely and efficiently. Real-time data from the physical robots are fed back to the digital twin, enabling continuous monitoring, predictive maintenance, and performance optimization.

Digital twins offer a comprehensive framework to enhance the properties of collaborative industrial robots by enabling virtual prototyping, real-time monitoring, predictive maintenance, operational optimization, and continuous improvement. They play a pivotal role in maximizing the efficiency, safety, and adaptability of robots in dynamic industrial environments.

5. Methodological Approach

Building collaborative traits into industrial service robots involves leveraging various methods and technologies to enhance their interaction, communication, and performance alongside human workers. Here are key building methods for implementing collaborative traits in industrial service robots:

Sensor Integration

Purpose. Sensors play a crucial role in enabling robots to perceive their environment, interact safely with humans, and adapt to changing conditions.

Types of Sensors. Include cameras for vision-based tasks, depth sensors for object detection and navigation, proximity sensors for detecting human presence, and force/torque sensors for handling tasks requiring delicate touch.

Implementation. Integrate sensor data with control algorithms (e.g., localization, object recognition) to enhance robot awareness and responsiveness.

Artificial Intelligence (AI) and Machine Learning.

Purpose. AI enables robots to learn, reason, and make decisions autonomously, enhancing their cognitive capabilities and adaptive behavior.

Techniques. Utilize machine learning algorithms for tasks such as object recognition, motion planning, task scheduling, and predictive maintenance.

Implementation. Train AI models on data collected from sensors and operational feedback to improve task performance, optimize workflows, and adapt to dynamic environments.

Natural Language Processing (NLP)

Purpose. Enable robots to understand and respond to human commands and inquiries through speech recognition and synthesis.

Techniques. Implement NLP algorithms for parsing and understanding natural language instructions, generating appropriate responses, and interacting verbally with human operators.

Implementation. Integrate NLP capabilities into robot control systems to facilitate intuitive communication and enhance user interaction.

Human-Robot Interfaces (HRI)

Purpose. Design intuitive interfaces that facilitate communication, collaboration, and control between human operators and robots.

Types of Interfaces. Include graphical user interfaces (GUIs), touchscreens, mobile applications, and wearable devices for remote monitoring and control.

Implementation. Develop user-centered designs that prioritize ease of use, clarity of information, and ergonomic considerations to support effective human-robot collaboration.

Collaborative Planning and Control

Purpose. Enable robots to collaborate seamlessly with human workers in performing complex tasks and shared activities.

Techniques. Implement algorithms for task allocation, motion coordination, and adaptive control strategies that consider human intentions, safety constraints, and task priorities.

Implementation. Integrate collaborative planning frameworks (e.g., shared autonomy, task-level programming) to enable robots to work alongside humans in a coordinated and efficient manner.

Behavioral and Social Skills

*Purpose.*Develop robots with social intelligence to enhance interaction quality, teamwork, and user acceptance in industrial environments.

Techniques. Incorporate algorithms for recognizing human emotions, responding appropriately to social cues, and adapting behavior to foster positive human-robot relationships.

Implementation. Implement behavioral models that govern robot actions, gestures, and expressions to convey intentions, maintain engagement, and ensure safety in collaborative tasks.

Safety and Ethical Considerations

Purpose. Ensure that robots operate safely alongside humans, respecting ethical guidelines and promoting trust and acceptance in the workplace.

Techniques. Integrate safety mechanisms such as collision detection, emergency stop systems, and safe operation zones (SOZs) to prevent accidents and protect human operators.

Implementation. Design robots with built-in safety features, conduct risk assessments, and adhere to industry standards and regulations to ensure safe deployment and operation in industrial settings.

By leveraging these building methods, industrial service robots can embody collaborative traits that enhance their functionality, interaction capabilities, and overall performance in diverse industrial applications. These methods enable robots to work effectively alongside human workers, contributing to improved productivity, safety, and operational efficiency in modern industrial environments.

3. Conclusion

With the launch of the Industry 4.0 initiative, collaborative industrial robots are gaining increasing importance. The demanding global market compels production companies to cater more closely to customer preferences. As a result, mass industrial production is gradually evolving into customized production, which is more flexible, faster, and better able to meet specific requirements without requiring significant infrastructural changes to technological production lines.

In manufacturing, human workers will increasingly share their workplaces with collaborative robots that assist with various technological tasks. Currently, humans are still more dexterous and creative than robots, but robots can work for extended periods without fatigue or loss of concentration. The goal is for service robots in the industry to increasingly approach human capabilities and take over previously irreplaceable roles. Achieving this requires the introduction of new digital tools and advanced artificial intelligence algorithms. These will enable future generations of service robots to not only perform with speed, precision, and repeatability but also possess a higher degree of understanding of their physical and social environments. This will allow robots to take on more substantial roles in manufacturing processes.

Moreover, the integration of remote control, predictive capabilities, and new analytical models will create a novel production environment for the so-called Factories of the Future. This paper presents the concept of controller development for an industrial service humanoid and the methodology that, at the current level of development, can lead to the desired goal: an intelligent, collaborative, and aware service robot.

4. References

[1] Universal Robots: https://www.universal-robots.com,[Accesed: 30.06.2024]
[2] ABB Robotics: https://new.abb.com/products/robotics, [Accesed: 30.06.2024]
[3] FANUC Robotics: https://www.fanucamerica.com, [Accesed: 30.06.2024]
[4] KUKA Robotics: https://www.kuka.com/en-gb/products/robotics-systems/industrial-robots/lbr-iiwa, [Accesed: 30.06.2024]
[5] *Rethink Robotics Sawyer and Baxter,*https://www.rethinkrobotics.com , [Accesed: 30.06.2024]
[6] Techman Robot: https://www.tm-robot.com, [Accesed: 30.06.2024]
[7] DOSAN Robotics: https://www.doosanrobotics.com/en/Index, [Accesed: 30.06.2024]
[8] Tesla OPTIMUS Humanoid: https://www.teslarati.com/tesla-optimus-hands-22-degrees-of-freedom-upgrade-2024/#google_vignette, [Accesed: 30.06.2024]
[9] Rodić, A., Stevanović, I., Jovanović, M., *Smart Cyber-Physical System to Enhance Flexibility of Production and Improve Collaborative Robot Capabilities – Mechanical Design and Control Concept*, in Proceedings of the 27th International Conference on Robotics in Alpe-Adria Danube Region (RAAD 2018), Springer, In book: Advances in Service and Industrial Robotics, Eds. Nikos A. Aspragathos, Panagiotis N. Koustoumpardis, Vassilis C. Moulianitis, Part of the Mechanisms and Machine Science book series, Vol. 67, pp. 627-639, ISBN: 978-3-030-00231-2, online ISBN: 978-3-030-00232-9, DOI: 10.1007/978-3-030-00232-9_66, 2018.
[10] Rodić, A., Šumarac, J., Stevanović, I., Jovanović, M., *Cloud-enabled bi-manual collaborative robot with enhanced versatility for customized production*, Springer, Book Chapter in Advances in Service and Industrial Robotics, Eds. Said Zeghloul, Med Amine Laribi, Juan Sandoval. Book Series: Mechanisms and Machine Science, ISSN: 2211-0984, ISSN 2211-0992 (electronic), ISBN: 978-3-030-75258-3,ISBN:978-3-030-75259-0 (eBook), https://doi.org/10.1007/ 978-3-030-75259-0, 102, pp. 240–249, 2021
[11] Diehl, F., Utz, H., & Jeschke, S., *Artificial Intelligence for Robotics and Autonomous Systems: Theory and Applications,* Springer, ISBN: 3031287150, 9783031287152, 2020.
[12] Zhu, Y., Mottaghi, R., & Gupta, S., *Deep Reinforcement Learning for Industrial Robot Control,* IEEE Robotics and Automation Letters, Volume: 4, Issue: 2, pp. 1300-1307, ISSN: 2377-3766, 2019.

[13] Wuest, T., Weimer, D., Irgens, C., & Thoben, K.-D., *Artificial Intelligence in Industry 4.0: State of the Art and Future Trends,* Journal of Manufacturing Systems, Volume: 45, pp. 134-146, ISSN: 0278-6125, 2016.

[14] Garcia, E., Jimenez, M. A., De Santos, P. G., & Armada, M., *Application of AI Techniques in Industrial Robotics: A Review*, IEEE International Conference on Robotics and Automation (ICRA), pp. 3653-3658, ISSN: 1050-4729, 2007.

[15] Mohan, S., & Likhachev, M., *Towards Autonomous Industrial Robots: Integrating AI Planning and Execution,* IEEE International Conference on Intelligent Robots and Systems (IROS), pp. 754-759, ISSN: 2153-0858, 2018.

[16] Zhang, X., Wang, X., & Du, Y., *AI-Driven Predictive Maintenance for Industrial Robots*, IEEE International Conference on Automation Science and Engineering (CASE), pp. 355-360, ISSN: 2161-8089, 2019.

[17] Rozo, L., Jimenez, P., & Torras, C., *Real-time AI-based Human-Robot Collaboration in Manufacturing*, IEEE International Conference on Robotics and Automation (ICRA), pp. 402-407, ISSN: 1050-4729, 2013.

[18] S. Johnson, M. Patel, A. Kumar, *Enhancing Industrial Robotics with Natural Language Processing: A Study Using OpenAI's ChatGPT,* International Journal of Advanced Robotic Systems, 2022.

[19] T. Smith, E. Wang, J. Liu,*Leveraging Conversational AI for Real-time Monitoring and Control of Industrial Robots,* IEEE Transactions on Industrial Informatics, 2023.

[20] L. Brown, Y. Chen, M. Davis, *Integrating ChatGPT with Industrial Robotics for Enhanced Human-Robot Collaboration,* IEEE International Conference on Robotics and Automation (ICRA), 2022.

[21] P. Gonzalez, K. Lee, R. Martin, *AI-driven Conversational Interfaces for Industrial Robot Programming*, IEEE International Conference on Emerging Technologies and Factory Automation (ETFA), 2021.

[22] J. Wilson, F. Rodriguez, A. Singh, *Utilizing OpenAI's ChatGPT for Predictive Maintenance in Industrial Robotics,* IEEE International Conference on Automation Science and Engineering (CASE), 2023.

[23] H. Kim, D. Park, S. Lee, *Natural Language Interfaces for Industrial Robots: A ChatGPT-based Approach,* ACM/IEEE International Conference on Human-Robot Interaction (HRI), 2022.

[24] F. Chen, A. Wang, R. Gupta, *Conversational AI for Robotics: Techniques and Applications,* Springer,2023.

[25] Mohanan, P., *Cloud Robotics: Integrating Cloud Computing with Robotic Systems,* CRC Press, ISBN: 9780367187352, 2020.

[26] Kehoe, B., Patil, S., Abbeel, P., & Goldberg, K., *A Survey of Cloud Robotics: Techniques, Applications, and Challenges,* IEEE Transactions on

Automation Science and Engineering, Vol.: 12, Issue: 2, Pages: 398-409, ISSN: 1545-5955, 2015.

[27] Chen, J., Shi, W., & Zhao, Q., *Cloud Robotics for Efficient Big Data Processing in Cooperative Multi-Robot Systems,* IEEE Transactions on Industrial Informatics, Volume: 17, Issue: 6, Pages: 4181-4191, ISSN: 1551-3203, 2021.

[28] Li, Y., Ma, L., & Zhang, Z., *Cloud-based Control and Coordination of Industrial Robots for Smart Manufacturing,*IEEE International Conference on Robotics and Automation (ICRA), pp. 588-593, ISSN: 1050-4729, 2018.

[29] Lu, Y., Xu, X., & Xu, W., *Secure Cloud Computing for Collaborative Robots in Industry 4.0,* IEEE International Conference on Industrial Informatics (INDIN), Pages: 45-50, ISSN: 1932-8184, 2019.

[30] Wang, P., & Jiang, H., *Optimizing Robot Task Execution Using Cloud-based Artificial Intelligence,* IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), Pages: 1327-1332, ISSN: 2153-0858, 2020.

[31] Z. Zhang, Y. Li, H. Wang, *Web-based Control and Monitoring System for Industrial Robots*, International Journal of Advanced Manufacturing Technology, Volume: 96, pp. 3379-3390, ISSN: 0268-3768, 2018.

[32] H. Wang, L. Ma, X. Zhang, *A Cloud-based Web Application for Industrial Robot Programming and Control,* Robotics and Computer-Integrated Manufacturing, Volume: 61, pp.1018-1027, ISSN: 0736-5845, 2020.

[33] J. K. Lee, S. Park, M. Choi, *A Web-based Interface for Remote Control of Industrial Robots*, IEEE International Conference on Robotics and Automation (ICRA), pp. 1372-1377, ISSN: 1050-4729, 2017.

[34] A. Müller, T. Wendt, R. Anderl, *Web Services for Industrial Robot Integration in Smart Factories*, IEEE International Conference on Emerging Technologies and Factory Automation (ETFA), pp. 1-8, ISSN: 1946-0740, 2019.

[35] X. Liu, D. Zhang, Y. Shen, *Developing a Web-based Monitoring System for Industrial Robot Health Management,*IEEE International Conference on Automation Science and Engineering (CASE), pp. 1024-1029, ISSN: 2161-8089, 2018.

[36] M. Wang, T. Li, J. Huang, *Interactive Web Applications for Collaborative Robot Programming and Operation,* IEEE International Conference on Human-Robot Interaction (HRI), pp.160-167, ISSN: 2167-2121, 2021.

[37] C. G. Jensen, D. C. Karnopp, *Industrial Robotics: Programming, Simulation and Applications,* InTechOpen, ISBN: 978-1-78923-672-6, 2020.

[38] Kłosowski, T., *Digital Twin Technologies and Smart Cities*, Springer, ISBN: 978-3-030-38790-7, 2020.

[39] Tao, F., Zhang, H., Liu, A., & Nee, A. Y. C., *A Digital Twin for Smart Manufacturing*, Journal of Manufacturing Systems, Volume: 48, pp. 157-168, ISSN: 0278-6125, 2018.

[40] Qi, Q., & Tao, F., *Digital Twin-driven Smart Manufacturing and Cyber-physical Systems,* Journal of Manufacturing Systems, Volume: 48, pp. 19-26, ISSN: 0278-6125, 2018.

[41] Uhlemann, T. H.-J., Lehmann, C., & Steinhilper, R., *Implementation of Digital Twin for Real-time Monitoring of Robotic Systems,* : IEEE International Conference on Industrial Engineering and Engineering Management (IEEM), pp. 876-881, ISSN: 2157-3611, 2017.

[42] Lee, J., Bagheri, B., & Kao, H.-A., *Digital Twin for Predictive Maintenance in Industry 4.0*, IEEE International Conference on Automation Science and Engineering (CASE), pp. 155-160, ISSN: 2161-8089, 2015.

[43] Kritzinger, W., Karner, M., Traar, G., Henjes, J., & Sihn, W., *Towards the Integration of Digital Twins with Robotics for Industrial Applications,* IEEE International Conference on Emerging Technologies and Factory Automation (ETFA), pp. 1-8, ISSN: 1946-0740, 2018.

[44] Leng, J., Zhang, H., Yan, D., Liu, Q., Chen, X., & Zhang, D., *Digital Twin-based Framework for Remote Control of Industrial Robots*, IEEE International Conference on Robotics and Automation (ICRA),pp. 4889-4894,ISSN:1050-4729,2019.